

Product Data Sheet

Product: Medical non woven face mask, 3 ply earloop

Standard: EN 14683 type II

Procedure masks are intended to be worn by personnel during medical procedures to protect both the patient and the operating personnel from transfer of microorganisms, body fluids and particulate material. Latex free.

Items	Standard
Bacterial Filtration Efficiency (BFE)	≥99%
Differential Pressure (ΔP)	<29.4 Pa/m ²
Particulate Filtration Efficiency (PFE)	No required
Splash resistance pressure (mmHg)	No required
Material:	
Outer layer	Spunbond Polypropylene (SBPP)--18gsm
Filter Layer	Melt Blown Polypropylene (MBPP)--25gsm
Inner Material	Spunbond Polypropylene (SBPP)--20gsm
Nose-Piece	plastic
Earloop	Polyester and Spandex
Size:	
Length	17.5cm +/- 5%
Width	9.5cm +/- 5%
Nose piece	9-11cm
Store Condition:	Store under cool, clean, and dry conditions. Avoid excessive heat (over 40°C or 104°F)
Treatment:	Non sterile
Shelf life:	5 years

苏州舜康商贸有限公司
SUZHOU SUNMED CO., LTD


AUTHORIZED SIGNATURE(S)